

Disclaimer

1) **Exploded views:**

Als een onderdeel op een “exploded view” staat maar niet in de onderdelenlijst, dan is het onderdeel niet leverbaar als service artikel.


Exploded views worden gemaakt voor meerdere verschillende toestellen die niet altijd in Nederland en België verkocht worden.

Daarnaast zijn niet alle onderdelen als service artikel beschikbaar (*bijvoorbeeld schroeven, pluggen en andere bevestigingsmaterialen*).


2) **Afbeeldingen:**

Afbeeldingen van onderdelen op exploded views zijn een schematische weergave en kunnen afwijken.

Bij de onderdelenlijst zijn vaak foto's van onderdelen aanwezig, deze komen overeen met de werkelijkheid.



Pos.	Description	Quantity
1	Hob with frame IKT 804 - 18 B4 ATAG	1
2	Assemblies cover	1
3	Grease filter ATAG	1
4	Exhaust air funnel lxxO	1
5	Induction bearing plate Master	1
6	Induction bearing plate cover	2
7	Induction bearing plate Slave	1
8	Inductor Ø200/170 B4	2
9	Inductor Ø160/145 B4	1
10	Inductor Ø145/145 72.02000.010	1
11	Inductor mounting clip	8
12	Touch-Control EGO K4+1 Slim red	1
13	Induction Generator B4 Domino Master	1
14	Fan	1
13	Induction Generator B4 Domino Slave	1
16	Cover sheet IKT 804 Slim lxxO	2
17	Cabel cover lxxO	1
18	Mount MCU IKT 804 Slim lxxO	1
19	Mounting clip	4
20	EGO Motor Control MCU 77.29900.100	1
21	Cover MCU IKT 804 Slim lxxO	1
22	Cable gland M 16 x 1,5	2
23	Terminal box KADO 2/3 OS	2
24	Rubber seal	4
25	Casing deduction lxxO	1
26	EMC-choke 2mH Hahn	1
27	Supply terminal FKL 1/3G	1
28	Connection board BUS wire Master/Slave	1
	Cover generator E.G.O	2
	Sealing tape (4-plates)	4
	Set exhaust Özpolat lxxO EC OptimAIRo	1
	User manual IKT 804 B4 lxxO ATAG	1
	Ventilator EC Type R	1
	Base fan EC SLE 200	1
	Cable harness base fan	1
C1	Cable harness with insulating tube Master	1
C2	Cable harness with insulating tube, 280 mm	1
C3	Cable harness with insulating tube Slave	1
C4	Induction LIN-cable 4-pin	1
C5	Induction LIN-cable 1-pin assignment, 700mm	1
C6	Cable harness MCU - window connection/relay output	1
C7	Connecting cable H05VV-F3Gx0,75	1
C8	Cable harness - control cable 3-pin, 1000mm	1
C9	Connecting cable H05VV-F3Gx0,75	1



Pos.	Description	Quantity
C1	Cable harness with insulating tube Master	1
C2	Cable harness with insulating tube, 280 mm	1
C3	Cable harness with insulating tube Slave	1
C4	Induction LIN-cable 4-pin	1
C5	Induction LIN-cable 1-pin assignment, 700mm	1
C6	Cable harness MCU - window connection/relay output	1
C7	Connecting cable H05VV-F3Gx0,75	1
C8	Cable harness - control cable 3-pin, 1000mm	1
C9	Connecting cable H05VV-F3Gx0,75	1