










**INSTRUCTIES VOOR INSTALLATIE  
INSTRUCTIONS D'INSTALLATION  
INSTALLATIONSANLEITUNG  
INSTALLATION INSTRUCTIONS**

**»»» INDUCTIEKOOKPLAAT MET AFZUIGING  
TABLE DE CUISSON À INDUCTION AVEC EXTRACTEUR  
INDUKTIONSKOCHFELD MIT INTEGRIERTEM ABZUG  
INDUCTION HOB WITH EXTRACTOR**








AKI480ZT













Hob: 230 V - 50/60 Hz - 7.6 kW  
Hood: 230 V - 50/60 Hz - 0.3 kW




Vrije ruimte rondom toestel  
Freier Raum rundum das Gerät  
Free space around appliance  
Espace libre autour de l'appareil













A (mm) B (mm) C (mm)  
min. 550 min. 40 min. 25









min 820  
max 975












1




2



3




4




5

---




6


---




7




8





9







10




11









16




17




18





19




20










23






24












**1N 230V 50/60Hz - 1x 32A** ➡

1 fase - 1 nul  
1 phase - 1 neutral  
1 Phase - 1 Nullanschluss  
1 phase et 1 neutre

**Aderdoorsnede**  
**Aderquerschnitt**  
**Cross sectional area** 3x4 mm<sup>2</sup>  
**Fil diamètre**




⚠ only BE/alleen BE

**2N 230V 50/60Hz - 2x 16A** ➡


2 fase - 2 nullen  
2 phases - 2 neutral  
2 Phasen - 2 Nullanschlüsse  
2 phases et 2 neutres

**Aderdoorsnede**  
**Aderquerschnitt**  
**Cross sectional area** 5x1,5 mm<sup>2</sup>  
**Fil diamètre**




⚠ only NL/alleen NL


The induction hob is composed of 2 modules, each one can absorb 3.7kW max.



Vetfilter  
Filtre à graisse  
Fettfilter  
Grease filter

Vetfilter  
Filtre à graisse  
Fettfilter  
Grease filter







825966

ETNA maakt **kw**aliteit betaalbaar



825966 / VER 4 / 23-04-2021