

Error	Problem	Cause or remedy	Process (service technician)
F10	F10 on display.	<ul style="list-style-type: none"> • Water Inlet fault. Too much water inside the machine. • Repair is carried out by authorized Servis. 	<ul style="list-style-type: none"> • Drain pump. • Outlet hose. • Flowmeter. • Electro valve. • Wiring harness. • Aqua stop sensor.
F11	F11 on display.	<ul style="list-style-type: none"> • Water outlet fault. Drain pump doesn't drain water. • Hydraulic sump clogged • Drain pump clogged • Clogged drain hose or siphon • Filter <p># Run a program and if error repeats call authorized Service.</p>	<ul style="list-style-type: none"> • Drain pump calibration - Service information [blnk]4-127-161 • Drain pump. • Wiring harness.
F12	F12 on display.	<ul style="list-style-type: none"> • Water Inlet fault. Flowmeter didn't detect enough pulses. Pr <p># Check water tap. # Run a program and if error repeats call authorized Service.</p>	<ul style="list-style-type: none"> • Flowmeter. • Electro valve. • Control unit.
F40	F40 on display.	<ul style="list-style-type: none"> • Leakage on the inlet valve. Flowmeter detected leakage on i <p># Close water tap. • Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Electro valve. • Pressure sensor. • Hoses.
F41	F41 on display.	<ul style="list-style-type: none"> • Heating fault. In case of heater fault the machine continues <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Heater. • Temperature sensor. • Pressure sensor. • Circulation pump. • Control unit.
F42	F42 on display.	<ul style="list-style-type: none"> • Temperature sensor fault (Detected temperature out of range) <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Temperature sensor. • Wiring harness. • Control unit.
F43	F43 on display.	<ul style="list-style-type: none"> • Pressure sensor fault. <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Pressure sensor. • Control unit. • Wiring harness.
F44	F44 on display.	<ul style="list-style-type: none"> • Turbidity sensor fault. <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Turbidity sensor. • Wiring harness. • Control unit.
F45	F45 on display.	<ul style="list-style-type: none"> • Diverter valve fault. <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Diverter valve. • Wiring harness.
F52	F52 on display.	<ul style="list-style-type: none"> • Water level 1 fault. <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Pressure sensor. • Electro valve. • Flowmeter. • Check air break. • Check drain hose.
F53	F53 on display.	<ul style="list-style-type: none"> • Water level 2 fault. <p># Clean the filter. # Clean drain hose. # Clean siphon.</p>	<ul style="list-style-type: none"> • Drain pump. • Flowmeter. • Electro valve. • Clean filter. • Check drain hose.
F54	F54 on display.	<ul style="list-style-type: none"> • Float switch fault. Float switch activated. <p>• Repair is carried out by authorized Servis.</p>	[blnk]4-123-1708[/blnk].
F56	F56 on display.	<ul style="list-style-type: none"> • Circulation pump fault. <p>• Repair is carried out by authorized Servis.</p>	<ul style="list-style-type: none"> • Circulation pump. • Control unit. • Wiring harness.
	CLN on display.	# Appliance must be cleaned. Clean spray arms and filters an	