



## Inbouw vriezer met 5 laden en NoFrost (140 cm)



KD85140CD

### Uitvoering

- energielabel: E
- totale inhoud: 151 liter
- deur op deur montage met soft-close
- zelfsluitend binnen een hoek van 20°
- heldere LED binnenverlichting

### Vriesgedeelte

- 4-sterren vriezer
- invriesvermogen: 10 kg per 24 uur
- NoFrost: nooit meer ontdooien
- FastFreeze
- 5 transparante laden, waarvan 4 op volledig uittrekbare telescooprails met soft-close
- 3 glazen plateaus
- 1 vriesvak met klepdeur
- ECO-functie

### Bediening

- touch control met temperatuurweergave

### Bijzonderheden

- draairichting van de deur omkeerbaar (links- of rechtsdraaiend)
- visueel en akoestisch alarm bij open deur
- kinderbeveiliging tegen ongewenst uitschakelen

### Toebehoren

- IceTray

### Technische specificaties

- geschikt voor omgevingstemperatuur: SN-T (10-43 °C)
- energieverbruik: 214 kWh/jaar
- geluidsniveau: 39 dB(A)
- aansluitwaarde: 200 W

### Accessoires

- SBS102 Anti-condenskit voor side-by-side plaatsing koelkast/vriezer

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2016

**Supplier's name or trademark:** ATAG

**Supplier's address:** ATAG Service, Impact 83, 6921 RZ Duiven, NL

**Model identifier:** KD85140CD

**Type of refrigerating appliance:**

Low-noise appliance:	No	Design type:	built-in
Wine storage appliance:	No	Other refrigerating appliance:	Yes

**General product parameters:**

Parameter	Value	Parameter	Value
Overall dimensions (millimetre)	Height	Total volume (dm <sup>3</sup> or l)	151
	Width		
	Depth		
EEl	100	Energy efficiency class	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	39	Airborne acoustical noise emission class	C
Annual energy consumption (kWh/a)	214,0	Climate class:	extended temperate, temperate, subtropical, tropical
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43
Winter setting	No		

**Compartment Parameters:**

Compartment type	Compartment parameters and values				
	Compartment volume (dm <sup>3</sup> or l)	Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24h)	Defrosting type (auto-defrost=A, manual defrost=M)	
Pantry	No	-	-	-	-
Wine storage	No	-	-	-	-
Cellar	No	-	-	-	-
Fresh food	No	-	-	-	-

Chill	No	-	-	-	-
0-star or ice-making	No	-	-	-	-
1-star	No	-	-	-	-
2-star	No	-	-	-	-
3-star	No	-	-	-	-
4-star	Yes	151,0	-	10,0	A
2-star section	No	-	-	-	-
Variable temperature compartment	-	-	-	-	-
<b>For 4-star compartments</b>					
Fast freeze facility			Yes		
<b>Light source parameters:</b>					
Type of light source			Lighting technology used: LED; Non-directional or directional: DLS; Mains or non-mains: NMLS; Connected light source (CLS): No; Colour-tuneable light source: No; Envelope: -; High luminance light source: Yes; Anti-glare shield: No; Dimmable: No		
Energy efficiency class			E		
<b>Minimum duration of the guarantee offered by the manufacturer:</b> 24 months					
<b>Additional information:</b>					
<b>Weblink to the manufacturer's website, where the information in point4(a) Annex of Commission Regulation (EU) 2019/2019 is found:</b> <a href="https://www.atag.nl">https://www.atag.nl</a>					