



Inbouw koelvriescombinatie (178 cm)

KS14178D

Uitvoering

- totale inhoud: 260 liter
- sleepdeur montage
- energielabel: E
- heldere LED binnenverlichting

Koelgedeelte

- inhoud: 189 liter
- automatisch ontdooisysteem
- 3 transparante, verstelbare deurvakken met luxe afwerking, waaronder een afsluitbaar boter- en kaasvak
- 1 flessenhouder
- 5 luxe draagplateaus van veiligheidsglas, waarvan 4 in hoogte verstelbaar
- 1 transparante groentelade
- verborgen ruimte voor blikjes
- luchtvochtigheidsregeling groentelade
- SuperCool functie

Vriesgedeelte

- inhoud: 71 liter
- invriesvermogen 3,2 kg per 24 uur
- 3 transparante laden
- FastFreeze functie

Bediening

- mechanische temperatuurregeling

Bijzonderheden

- draairichting van de deur omkeerbaar (links- of rechtsdraaiend)

Toebehoren

- eierrekje
- ijsblokeshouder

Technische specificaties

- geschikt voor omgevingstemperatuur: ST (16-38 °C)
- energieverbruik: 218 kWh/jaar
- geluidsniveau: 36 dB(A)
- aansluitwaarde: 100 W

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2016 with regard to energy labelling of refrigerating appliances

Supplier's name or trade mark: Atag

Supplier's address: ATAG, Impact 83, 6921 RZ Duiven, NL

Model identifier: KS14178D

Type of refrigerating appliance:

| | | | |
|-------------------------|----|--------------------------------|----------|
| Low-noise appliance: | No | Design type: | built-in |
| Wine storage appliance: | No | Other refrigerating appliance: | Yes |

General product parameters:

| Parameter | Value | Parameter | Value |
|---|--------|---|-------------------------------------|
| Overall dimensions (millimetre) | Height | 1 772 | Total volume (dm ³ or l) |
| | Width | 540 | |
| | Depth | 545 | |
| EEL | 100 | Energy efficiency class | E |
| Airborne acoustical noise emissions (dB(A) re 1 pW) | 36 | Airborne acoustical noise emission class | C |
| Annual energy consumption (kWh/a) | 218 | Climate class: | temperate, subtropical |
| Minimum ambient temperature (°C), for which the refrigerating appliance is suitable | 16 | Maximum ambient temperature (°C), for which the refrigerating appliance is suitable | 38 |
| Winter setting | No | | |

Compartment Parameters:

| Compartment type | Compartment parameters and values | | | |
|------------------|---|--|----------------------------|--|
| | Compartment Volume (dm ³ or l) | Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3 | Freezing capacity (kg/24h) | Defrosting type (auto-defrost=A, manual defrost=M) |
| Pantry | No | - | - | - |

| | | | | | |
|---|-----|-------|-----|-----|---|
| Wine storage | No | - | - | - | - |
| Cellar | No | - | - | - | - |
| Fresh food | Yes | 189,0 | 4 | - | A |
| Chill | No | - | - | - | - |
| 0-star or ice-making | No | - | - | - | - |
| 1-star | No | - | - | - | - |
| 2-star | No | - | - | - | - |
| 3-star | No | - | - | - | - |
| 4-star | Yes | 71,0 | -18 | 3,2 | M |
| 2-star section | No | - | - | - | - |
| Variable temperature compartment | - | - | - | - | - |
| For 4-star compartments | | | | | |
| Fast freeze facility | Yes | | | | |
| Light source parameters: | | | | | |
| Type of light source | LED | | | | |
| Energy efficiency class | F | | | | |
| Minimum duration of the guarantee offered by the manufacturer: 24 months | | | | | |
| Additional information: | | | | | |
| Weblink to the supplier's website, where the information in point 4 of Annex II of Commission Regulation (EU) 2019/2019 is found: https://www.atag.nl | | | | | |