



## Inbouw koelkast met vriesvak (178 cm)

KS37178B

### Uitvoering

- energielabel: E
- totale inhoud: 292 liter
- sleepdeur montage
- heldere LED binnenverlichting

### Koelgedeelte

- inhoud: 262 liter
- automatisch ontdooisysteem
- CoolFlow: voor een optimale temperatuurverdeling
- 5 transparante, verstelbare deurvakken met luxe afwerking, waaronder een afsluitbaar boter- en kaasvak
- 1 flessenhouder
- 5 luxe draagplateaus van veiligheidsglas met RVS afwerking, waarvan 4 in hoogte verstelbaar
- 2 transparante groenteladen

### Vriesgedeelte

- inhoud: 30 liter
- 4-sterren vriesvak
- invriesvermogen: 3 kg per 24 uur

### Bediening

- elektronische temperatuurregeling
- temperatuurindicatie d.m.v. LED

### Bijzonderheden

- draairichting van de deur omkeerbaar (links- of rechtsdraaiend)

### Toebehoren

- 1 ijsblokjeshouder
- 1 luxe flessenrek

### Technische specificaties

- geschikt voor omgevingstemperatuur: SN-T (10-43 °C)
- energieverbruik: 174 kWh/jaar
- geluidsniveau: 35 dB(A)
- aansluitwaarde: 130 W

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2016 with regard to energy labelling of refrigerating appliances

**Supplier's name or trade mark:** ATAG

**Supplier's address:** ATAG, Impact 83, 6921 RZ Duiven, NL

**Model identifier:** KS37178B

**Type of refrigerating appliance:**

Low-noise appliance:	No	Design type:	built-in
Wine storage appliance:	No	Other refrigerating appliance:	Yes

**General product parameters:**

Parameter	Value	Parameter	Value
Overall dimensions (millimetre)	Height	1 771	Total volume (dm <sup>3</sup> or l)
	Width	540	
	Depth	545	
EEL	100	Energy efficiency class	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	35	Airborne acoustical noise emission class	B
Annual energy consumption (kWh/a)	174	Climate class:	extended temperate, tropical
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43
Winter setting	No		

**Compartment Parameters:**

Compartment type	Compartment parameters and values			
	Compartment Volume (dm <sup>3</sup> or l)	Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24h)	Defrosting type (auto-defrost=A, manual defrost=M)
Pantry	No	-	-	-

Wine storage	No	-	-	-	-
Cellar	No	-	-	-	-
Fresh food	Yes	262,0	4	-	A
Chill	No	-	-	-	-
0-star or ice-making	No	-	-	-	-
1-star	No	-	-	-	-
2-star	No	-	-	-	-
3-star	No	-	-	-	-
4-star	Yes	30,0	-18	3,0	M
2-star section	No	-	-	-	-
Variable temperature compartment	-	-	-	-	-
<b>For 4-star compartments</b>					
Fast freeze facility	No				
<b>Light source parameters:</b>					
Type of light source	LED				
Energy efficiency class	G				
<b>Minimum duration of the guarantee offered by the manufacturer:</b> 24 months					
<b>Additional information:</b>					
Weblink to the supplier's website, where the information in point 4 of Annex II of Commission Regulation (EU) 2019/2019 is found: <a href="https://www.atag.nl">https://www.atag.nl</a>					