

PRODUCTKAART



CD-klas=7124
20003670
RQ758N4SAI1

USP :

NoForst Plus	NoFrost Plus
Snelkoelfunctie	
Type scherm	LED display
Snelkoelfunctie	Schakelaar voor snelkoelfunctie
Ijsmaker	Ijsblokjes
Binnenverlichting	LED verlichting
Vakantiestand	
Indicatie deur open	Open deur alarm
Koelgas	R600A

Basisinformatie :

Productnaam/ Productfamilie	CD-klas=7124
Productnaam/ Commerciële code	RQ758N4SAI1
Artikelcode fabrikant	20003670
EAN-code	6921727052391
Productcategorie	Koelkast
Inbouw / Vrijstaand	Prostostoječi
Deurpaneelopties	Ni na voljo
Aansluitwaarde (W)	0 W
Stroomsterkte (A)	N/A
Spanning (V)	220-240 V
Netfrequentie (Hz)	50 Hz
Keurmerken	CE,GS,CB
Aantal compressoren	*1
Type aansluitstekker	Euro
Totale brutoinhoud (l)	664 l
Totale nettoinhoud (l)	582 l
Brutoinhoud koelruimte	418 l
Brutoinhoud vriesruimte	246 l
Steraanduiding	4
Aantal onafhankelijke koelsystemen	2
Breedte van het apparaat	912 mm
Diepte van het apparaat	725 mm
Positie deurscharnieren	N/A
Verkooptekst USP 3 (trademarks,slogans,etc.)	Da - samo spredaj
Nettogewicht	118,0 kg
Productsoort	Vierdeurs
Brutogewicht	127,0 kg
Kleur/materiaal ombouw	VZ067; Imitacija nerjavnega jekla N/A Predlakirana pločevina
Kleur/materiaal ombouw	VZ068; Barva temno sivega česanega nerjavnega jekla N/A Predlakirana pločevina

Eigenschappen :

Ontdooiing koelruimte	Automatisch
Ontdooiing vriesruimte	Automatisch
Schakelaar superkoeling	Ja
"Super Frost" schakelaar	Ja
Indicator open deur vriesruimte	Ja
After sales service USP 2 (trademarks/slogans/etc.)	N/A

Vrije temperatuurinstelling vriesruimte	Ja
Vriesruimte met dooiwaterafvoer	Ja
Ventilator koelruimte	N/A
Vriesladen	6
Voorvriesvak	0
IJsmachine aanwezig	Nee
Aantal verstelbare plateaus in koelgedeelte	2
Materiaal van de draagplateaus	Glas
Thermometer koelgedeelte	Digitaal
Thermometer vriesgedeelte	Digitaal
Deurscharnieren verwisselbaar	N/A

Informatie over het energieverbruik / efficiëntie :

Energie-efficiëntieklasse	*
Energieverbruik	1,24 kW/24h
Energieverbruik per jaar	456 kWh/Jahr
Nettoinhoud koelruimte (l)	391 l
Nettoinhoud vriesruimte (l)	191 l
Invriescapaciteit	6 kg/24h
Maximale bewaarduur bij stroomuitval	16 h
Klimaatklasse	T, ST, N
Geluidsemisatie dB (A) re 1pW	43 dB(A) re 1 pW
Automatische ontdooing	Polno

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2016

Supplier's name or trademark: HISENSE

Supplier's address: Gorenje gospodinjski aparati, d.o.o., Partizanska cesta 12, 3320 Velenje, SI

Model identifier: RQ758N4SA11

Type of refrigerating appliance:

Low-noise appliance:	No	Design type:	freestanding
Wine storage appliance:	No	Other refrigerating appliance:	Yes

General product parameters:

Parameter	Value	Parameter	Value
Overall dimensions (millimetre)	Height	Total volume (dm ³ or l)	609
	Width		
	Depth		
EEl	124	Energy efficiency class	F
Airborne acoustical noise emissions (dB(A) re 1 pW)	43	Airborne acoustical noise emission class	D
Annual energy consumption (kWh/a)	399,0	Climate class:	temperate, sub-tropical, tropical
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	16	Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43
Winter setting	No		

Compartment Parameters:

Compartment type	Compartment parameters and values				
		Compartment volume (dm ³ or l)	Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24h)	Defrosting type (auto-defrost=A, manual defrost=M)
Pantry	No	-	-	-	-
Wine storage	No	-	-	-	-
Cellar	No	-	-	-	-
Fresh food	Yes	393,0	4	-	A
Chill	No	-	-	-	-
0-star or ice-making	No	-	-	-	-

1-star	No	-	-	-	-
2-star	No	-	-	-	-
3-star	No	-	-	-	-
4-star	Yes	95,0	-18	6,0	A
2-star section	Yes	13,0	-	-	A
Variable temperature compartment	Fresh food	108,0	4	-	A
	2-star		-12	-	
For 4-star compartments					
Fast freeze facility			Yes		
Light source parameters:					
Type of light source			Lighting technology used: LED; Non-directional or directional: -; Mains or non-mains: -; Connected light source (CLS): No; Colour-tuneable light source: No; Envelope: -; High luminance light source: No; Anti-glare shield: No; Dimmable: -		
Energy efficiency class			F		
Minimum duration of the guarantee offered by the manufacturer: 24 months					
Additional information:					
Weblink to the manufacturer's website, where the information in point4(a) Annex of Commission Regulation (EU) 2019/2019 is found: http://global.hisense.com/					